


Barcode Verifiers Off-Line




Verification

- Verification is an objective, precise standardized measurement of the quality of a barcode symbol against a published specification.
- Verification is a predictor of how well a code will be able to be read throughout its life cycle.
- The Verifier is the calibrated instrument used to objectively measure the barcode quality

WITHOUT VERIFICATION



WITH VERIFICATION




Off-line Verifiers

- Off line Verifiers can be used to measure barcode quality of a single barcode at a time. Usually on a label or DPM.
- DPM stands for Direct Part Marking where the barcode is marked onto the part or into the part.
- Some DPM Barcodes use depth for the marking (dot peen, percussion & some laser marks).
- These are a Low Contrast DPM and require the 30 degree angle lighting, specifically available on the LVS-9585.



Which Verifier Should I Choose?



*Select a part number based on the barcode type, size and field of view required. Click the picture to link to the individual product


LVS-9510 Desktop Verifier

[Web Page link](#)



LVS 9510 Desktop Barcode Verifier

- Calibrated Verifier
- Intended for “Off-Line” label verification
- Labels can be set directly on top of the glass
- Provides a verification report for each barcode
- Includes Red Dome Lighting
- USB Powered Connection to PC
- Includes Omron LVS PC verification software



[Click on pictures to link to datasheet](#)

LVS-9510 Desktop Verifier

[Web Page link](#)

LVS 9510 Desktop Barcode Verifier

- Select a part number based on the label and barcode size required to be verified

Field of View size Available by Part number:


<u>Part Number</u>	<u>Field of View</u>	<u>Type</u>
9510-5-175	44mm x 33mm	1D & 2D Labels
9510-5-3	76mm x 57mm	1D & 2D Labels
9510-5-4	98mm x 74mm	1D & 2D Labels
9510-5-45	113mm 85mm	1D & 2D Labels
9510-5-6250	155mm x 102mm	1D & 2D Labels



[Click on pictures to link to datasheet](#)

LVS-9580 Handheld Verifier

[Web Page link](#)



[Click on picture to link to datasheet](#)

LVS 9580 Handheld Barcode Verifier

- True Calibrated Verifier
- Intended for “Off-Line” label and DPM verification
- Verifier can be set directly on top of Barcode or mark regardless of the label size
- Provides a verification report for each barcode verified
- Includes Red Dome Lighting
- USB Connection to PC with Omron LVS Verification Software
- Software includes many different standards

LVS-9580 Handheld Verifier

[Web Page link](#)

LVS 9580 Handheld Barcode Verifier

- Select a part number based on the label size, barcode size and barcode or marking type required

Field of View size Available by Part number:


<u>Part Number</u>	<u>Field of View</u>	<u>Type</u>
9580-1D-3	76mm x 57mm	1D Barcode Labels
9580-2D-3	76mm x 57mm	2D Barcode Labels
9580-C-3	76mm x 57mm	1D & 2D Barcode Labels
9580-DPM	45mm x 45mm	1D/2D Barcode Labels & DPM
9580-DPM-HD	20mm x 20mm	1D/2D Barcode Labels & DPM



[Click on picture to link to datasheet](#)

LVS-9585 Handheld Verifier

[Web Page link](#)



[Click on picture to link to datasheet](#)

LVS 9585 Handheld Barcode Verifier

- True Calibrated Verifier
- Intended for all “Off-Line” Labels and DPM barcode verification
- Verifier can be set directly on top of barcode
- Provides a verification report for each barcode verified
- Includes red and white dome lighting plus 30 degree angled Lighting specifically required for some DPM barcodes
- USB Connection to PC with Omron LVS Verification Software
- Software includes many different standards

LVS-9585 Handheld Verifier

[Web Page link](#)

LVS 9585 Handheld Barcode Verifier

- Select a part number based on the label size, barcode size and barcode or marking type required

Field of View Available by Part number:

<u>Part Number</u>	<u>FOV</u>	<u>Type</u>
9585-DPM	45mm x 45mm	1D/2D Labels & DPM
9585-DPM-HD	20mm x 20mm	1D/2D Labels & DPM



[Click on picture to link to datasheet](#)

Omron Offline Verifiers

Your trusted partner in traceability

